

Product Safety Data Sheet

1. Product And Company Identification

Product: Charm Air Fresheners 240ml, All variants, (Compressed Air)

Manufacturer: Sanmex International Ltd
Dalmarnock Road
Rutherglen
Glasgow G73 1NY
United Kingdom

Phone Number: 00+44 (0)141 647 2244
Fax Number: 00+44 (0)141 613 1228
e mail: info@sanmex.com

2. Hazards Identification

Classification **Warning:** H229 Pressurised container: May burst if heated.

Precautionary statements P210 Keep away from heat, hot surfaces, sparks, open flames and other ignition sources.
P211 Do not spray on an open flame or other ignition source.
P251 Do not pierce or burn, even after use.
P410 + P412 Protect from sunlight. Do not expose to temperatures exceeding 50°C.

3. Composition/Information Components

Classification according to Regulation (EC) No 1272/2008

Contains:	EINECS Number	CAS Number	% Wt/Wt	Classification
Denatured Ethanol	200-578-6	64-17-5	1 - 5	Flammable liquid, Cat 2. H225
Isotridecanol Ethoxylate (EO 9)		24938-91-8	Less than 1	Acute Tox. 4 - H302; Eye Dam. 1 - H318

Classification according to EU Directive 67/548/EEC / 1999/45 EC

Contains:	EINECS Number	CAS Number	% Wt/Wt	Classification
Denatured Ethanol	200-578-6	64-17-5	0 - 5	F; R11
Isotridecanol Ethoxylate (EO 9)		24938-91-8	Less than 1	Xn; R22. Xi; R41

Also contains preservative, perfume.

4. First-Aid Measures

Eyes: Rinse with water for 15 minutes. Seek medical attention if irritation persists.

Skin: Wash with soap and water.

Inhalation: Remove the person to fresh air. If breathing has stopped administer artificial respiration. Obtain medical attention.

Ingestion: Wash out mouth with water. Do not induce vomiting. Give water to drink. Seek medical attention

5. Fire-Fighting Measures

Use foam, carbon dioxide or dry powder extinguishers.

6. Accidental Release Measures

Absorb with any inert material. Ensure adequate ventilation.

7. Handling and Storage

Ensure adequate ventilation.
 Keep at temperature not exceeding 50°C.
 Protect from sunlight.
 Keep out of the reach of children.

8. Exposure Controls/Personal Protection

Use only as directed on the can.
 Avoid contact with the skin and eyes.

9. Physical and Chemical Properties

Appearance: Pale yellow liquid
Odour: As fragrance
pH: 8 to 10

10. Stability and Reactivity

As with all aerosol cans, protect from sunlight and do not expose to temperatures exceeding 50°C.

11. Toxicological Information

Eyes: May cause irritation.
Skin: May irritate sensitive skin.
Ingestion: No adverse reactions expected.
Inhalation: No adverse reactions expected.

12. Ecological Information

Not expected to cause significant environmental impact.

13. Disposal Considerations

Do not pierce or burn even after use. Dispose according to national and local authority guidelines.

14. Transport Information

Transport Type	ADR (Road/Rail)	SEA	AIR
UN Number	UN 1950	UN 1950	UN 1950
Class	2.2	2.2	2.2
Proper shipping name	Aerosols	Aerosols	Aerosols, non-flammable
Packing group	None	None	None
Marine pollutant	N/A	No	N/A
Other information	'Limited quantity' provisions apply.	'Limited quantity' provisions apply.	'Limited quantity' provisions apply.

15. Regulatory Information

Classification	Warning: H229 Pressurised container: May burst if heated.
Precautionary statements	P210 Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. P211 Do not spray on an open flame or other ignition source. P251 Do not pierce or burn, even after use. P410 + P412 Protect from sunlight. Do not expose to temperatures exceeding 50°C.

16. Other information

H and R phrases used in this document

H225 Highly flammable liquid and vapour.

H302 Harmful if swallowed

H315 Causes skin irritation

H317 May cause an allergic skin reaction.

H318 Causes serious eye damage.

R11 Highly Flammable

R22 Harmful if swallowed.

R36 Irritating to the eyes.

R41 Risk of serious damage to eyes.

R43 May cause sensitization by skin contact.

R52/53 Harmful to aquatic organisms, may cause long-term adverse effects in the aquatic environment.

This Safety Data does not constitute the users own assessment of workplace risk.