

SAFETY DATA SHEET

(REACH regulation (EC) n° 1907/2006 - n° 2015/830)

ECTION	1 : IDENTIFICATION OF THE SUBSTANCE/MIXTURE AND OF THE
	NY/UNDERTAKING 1.1. Product identifier
Produc	t name : GOJO® MILD ANTIMICROBIAL FOAM HANDWASH (FDS N°1628)
	et code : B1710.
1.2. Rele	evant identified uses of the substance or mixture and uses advised against
	ectant product
	ails of the supplier of the safety data sheet
	ered company name : GOJO Industries-Europe Ltd.
-	ss : Units 5 & 6 Stratus Park Brinklow MK10 0DE Milton Keynes England
	one : +44(0) 1908588444 Fax : +44(0) 1908588445
-	K@gojo.com
	ergency telephone number : +44(0) 8445605135
Associ	ation/Organisation : .
Other en	nergency numbers
Belgiq	ue, België, Belgien / Lëtzebuerg, Luxemburg, Lux embourg : Centre Anti-Poisons/Antigifcentrum: 0032 (0)70 245
245 Ös	sterreich : Vergiftungsinformationszentrale Vienna : +43 1 406 43 43
Deutsc	hland : Giftnotruf Berlin: +49 30 19240
Bulgar	ia : Emergency Medical Institute Pirogov: +359 2 9154 409
Hrvats	ka : Poison Control Centre Zagreb: +358 1 2348 342
Danma	ark : Poison Hotline, Bispebjerg Hospital: + 45 82 12 12 12
España	a : Teléfono Instituto Nacional de Toxicología: +34 91 562 04 20
Eesti :	Estonian Poison Information Centre: +372 62 69 379
Suomi	, Finland : Finland Poison Information Centre:+358 9 471 977
	e : Poisons Information Centre: +30 21 07 79 37 77
	rország : Health Toxicological Information Service: +36 80 20 11 99
	l, Éire : Ireland National Poisons Informatio n Centre: +353 1
	54 Ísland : Iceland Poison Information Centre: +354 525 111, +354
	22 Italia : Centro Antiveleni, Roma: +39 06 305 4343
	: Latvian Poisons Information Centre: +371 6704 2473
	a : Apsinuodijimu kontroles ir informacijos biuras: +370 2 36 20 52, +370 687 53378
	: Mater Dei Hospital: + 356 21450000
	Noreg : Norway Poisons Information:+ 47 22 591300
	and : Nationaal Vergiftigingen Informatie Centrum: +31 30 274 88 88
	: Poland Poison Control and Information Centre, Warsaw: +48 22 619 66 54, +48 22 619 08 97
	al : Centro de Informação Antivenenos: +351 21 330 3284
	hia : Spitalul de Urgenta Floreasca: +40 21 230 8000
	Kingdom : Guy's & St Thomas' Poisons Unit, London: +44 870 243 2241
	isko : National Toxicological Information Centre : +421 2 54 77 4 166
	ija : Poison Centre: + 386 41 650 500
	e : Giftinformationscentralen, Stockholm: +46 8 33 12 31
	iz, Suisse, Svizzera, Svizra : Swiss Toxicological Information Centre: +41 44 251 51 ko : Toxicological Information Centre: +420 22 49 192 93
SILles	iko . Toxicological illollilation Centre. ±420 22 49 192 95

In compliance with EC regulation No. 1272/2008 and its amendments.

Hazardous to the aquatic environment - Chronic hazard, Category 2 (Aquatic Chronic 2, H411).

This mixture does not present a physical hazard. Refer to the recommendations regarding the other products present on the site.

This mixture does not present a health hazard with the exception of possible occupational exposure thresholds (see paragraphs 3 and 8).

2.2. Label elements

Biocidal mixture (see section 15).

In compliance with EC regulation No. 1272/2008 and its amendments.

Hazard pictograms :



GHS09 Signal Word : WARNING Hazard statements : H411 Toxic to aquatic life with long lasting effects. Precautionary statements - Prevention : P273 Avoid release to the environment.

2.3. Other hazards

The mixture does not contain substances classified as 'Substances of Very High Concern' (SVHC) $\geq 0.1\%$ published by the European CHemicals Agency (ECHA) under article 57 of REACH: http://echa.europa.eu/fr/candidate-list-table The mixture satisfies neither the PBT nor the vPvB criteria for mixtures in accordance with annexe XIII of the REACH regulations EC

The mixture satisfies neither the PBT nor the vPvB criteria for mixtures in accordance with annexe XIII of the REACH regulations EC 1907/2006.

SECTION 3 : COMPOSITION/INFORMATION ON INGREDIENTS

3.2. Mixtures

Composition :

Identification	(EC) 1272/2008	Note	%
CAS: 127281-18-9	GHS07		$1 \le x \% \le 2.5$
	Wng		
PEG-6 CAPRYLIC/CAPRIC GLYCERIDES	Eye Irrit. 2, H319		
CAS: 18472-51-0	GHS05, GHS09		$0 \le x \% < 1$
EC: 242-354-0	Dgr		
	Eye Dam. 1, H318		
CHLORHEXIDINE DIGLUCONATE	Aquatic Acute 1, H400		
	M Acute = 10		
	Aquatic Chronic 1, H410		
	M Chronic $= 10$		
CAS: 7173-51-5	GHS07, GHS05, GHS09		$0 \le x \% < 1$
EC: 230-525-2	Dgr		
	Acute Tox. 4, H302		
DIDECYLDIMETHYLAMMONIUM	Skin Corr. 1B, H314		
CHLORIDE	Aquatic Acute 1, H400		
	M Acute = 10		
	Aquatic Chronic 1, H410		
	M Chronic = 1		

SECTION 4 : FIRST AID MEASURES

As a general rule, in case of doubt or if symptoms persist, always call a doctor.

NEVER induce swallowing by an unconscious person.

4.1. Description of first aid measures

In the event of swallowing :

Seek medical attention, showing the label.

4.2. Most important symptoms and effects, both acute and delayed No data available.

4.3. Indication of any immediate medical attention and special treatment needed

No data available.

SECTION 5 : FIREFIGHTING MEASURES

Non-flammable.

5.1. Extinguishing media

Suitable methods of extinction

- In the event of a fire, use :
- carbon dioxide (CO2)
- powder
- foam

- dry sand

Unsuitable methods of extinction

In the event of a fire, do not use :

- water jet

5.2. Special hazards arising from the substance or mixture

A fire will often produce a thick black smoke. Exposure to decomposition products may be hazardous to health.

Do not breathe in smoke.

In the event of a fire, the following may be formed :

- carbon monoxide (CO)

- carbon dioxide (CO2)

5.3. Advice for firefighters

No data available.

SECTION 6 : ACCIDENTAL RELEASE MEASURES

6.1. Personal precautions, protective equipment and emergency procedures

Consult the safety measures listed under headings 7 and 8.

For first aid worker

First aid workers will be equipped with suitable personal protective equipment (See section 8).

6.2. Environmental precautions

Contain and control the leaks or spills with non-combustible absorbent materials such as sand, earth, vermiculite, diatomaceous earth in drums for waste disposal.

Prevent any material from entering drains or waterways.

6.3. Methods and material for containment and cleaning up

Clean preferably with a detergent, do not use solvents.

6.4. Reference to other sections

No data available.

SECTION 7 : HANDLING AND STORAGE

Requirements relating to storage premises apply to all facilities where the mixture is handled.

7.1. Precautions for safe handling

Always wash hands after handling.

Fire prevention :

Prevent access by unauthorised personnel.

Recommended equipment and procedures :

For personal protection, see section 8.

Observe precautions stated on label and also industrial safety regulations.

Prohibited equipment and procedures :

No smoking, eating or drinking in areas where the mixture is used.

7.2. Conditions for safe storage, including any incompatibilities

No data available.

Packaging

Always keep in packaging made of an identical material to the original.

7.3. Specific end use(s)

No data available.

SECTION 8 : EXPOSURE CONTROLS/PERSONAL PROTECTION

8.1. Control parameters

No data available.

8.2. Exposure controls

Personal protection measures, such as personal protective equipment

Use personal protective equipment that is clean and has been properly maintained.

Store personal protective equipment in a clean place, away from the work area.

Never eat, drink or smoke during use. Remove and wash contaminated clothing before re-using. Ensure that there is adequate ventilation, especially in confined areas.

- Eye / face protection

Avoid contact with eyes.

- Body protection

Work clothing worn by personnel shall be laundered regularly.

SECTION 9 : PHYSICAL AND CHEMICAL PROPERTIES

9.1. Information on basic physical and chemical properties

General information :

Physical state :	Fluid liquid.
Color:	colourless / light yellow
Odour:	characteristic
Important health, safety and environmental information	
pH :	7.00 +/- 0.5.
	Neutral.
Flash Point Interval :	PE > 100°C.
Vapour pressure (50°C) :	Not relevant.
Density :	0.997 - 1.017
Water solubility :	Soluble.
Viscosity :	300 - 1000 mPa.s (20°C)
9.2. Other information	

No data available.

SECTION 10 : STABILITY AND REACTIVITY

10.1. Reactivity

No data available.

10.2. Chemical stability

This mixture is stable under the recommended handling and storage conditions in section 7.

10.3. Possibility of hazardous reactions

No data available.

10.4. Conditions to avoid

Avoid :

- frost

10.5. Incompatible materials

10.6. Hazardous decomposition products

The thermal decomposition may release/form :

- carbon monoxide (CO)

- carbon dioxide (CO2)

No data available. 11.1. Substances No toxicological data available for the substances. 11.2. Mixtur No toxicological data available for the mixture. 22CTION 12: ECOLOGICAL INFORMATION 22CTIO	11.1. Information on toxicological effects	
No toxicological data available for the substances. 11.1. Mixture No toxicological data available for the mixture. SECTION 12 : ECOLOGICAL INFORMATION Toxic to aquatic life with long lasting effects. The product must not be allowed to run into drains or waterways. 12.1. Toxicity 12.1. Substances CHLORHEXIDINE DIGLUCONATE (CAS: 18472-51-0) Fish toxicity: CCS0 = 0.087 mg/l Factor M = 10 Species: Daphnia magna Algae toxicity: ECS0 = 0.081 mg/l Factor M = 10 DIDECYLDIMETHYLAMMONIUM CHLORIDE (CAS: 1713-51-5) Fish toxicity: CCS0 = 0.082 mg/l Species: Daphnia mogna MOEC = 0.032 mg/l Species: Daphnia mogna Duration of exposure: 35 days OECD Guideline 210 (Fish, Early-Life Stage Toxicity Test) Crustacean toxicity: ECS0 = 0.062 mg/l Factor M = 10 Species: Daphnia magna Duration of exposure: 35 days OECD Guideline 210 (Fish, Early-Life Stage Toxicity Test) Crustacean toxicity: ECS0 = 0.062 mg/l Factor M = 10 Species: Daphnia magna Duration of exposure: 35 days OECD Guideline 210 (Fish, Early-Life Stage Toxicity Test) Algae toxicity: ECS0 = 0.025 mg/l Species: Daphnia magna Duration of exposure: 31 days OECD Guideline 211 (Daphnia magna Duration of exposure: 96 h OECD Guideline 211 (Daphnia magna Reproduction Test) Algae toxicity: ECS0 = 0.025 mg/l Factor M = 10 Species: Readokirchnerella subcapitata Duration of exposure: 96 h OECD Guideline 201 (Alga, Growth Inhibition Test)	No data available.	
11.1.2 Mixture No toxicological data available for the mixture. SECIOD 12: ECOLOGICAL INFORMATION Toxic to aquatic life with long lasting effects. The produce must note allowed to run into drains or waterways. 11.1 Substances CHLORIFEXIDNE DIGLUCONATE (CAS: 18472-51-0) Fish toxicity : EC50 = 0.087 mg/l Caustacean toxicity : EC50 = 0.087 mg/l Factor M = 10 Species : Daphnia magna Algae toxicity : EC150 = 0.081 mg/l Factor M = 10 Species : Daphnia magna DIDECYLDIMETHYLAMMONIUM CHLORIDE (CAS: 7173-51-5) Fish toxicity : Factor M = 10 Species : Darphales promelas Duration of exposure : 96 h NOEC = 0.032 mg/l Species : Danphia magna Duration of exposure : 35 days OHCD Guideline 210 (Fish, Early-Life Stage Toxicity Test) Species : Daphnia magna Duration of exposure : 48 h NOEC = 0.01 mg/l Factor M = 10 Species : Daphnia magna Duration of exposure : 48 h NOEC = 0.026 mg/l Factor M = 10 Species : Daphnia magna Duration of exposure : 48 h NOEC = 0.01 mg/l Factor M = 10 Species : Daphnia	11.1.1. Substances	
No toxicological data available for the mixture.	No toxicological data available for the substances	δ.
Section 3: E ECOLOGICAL INFORMATION Toxic to aquatic life with long lasting effects. The product must not be allowed to run into drains or waterways. 12.1.1 Substances CHLORHEXIDNE DIGLUCONATE (CAS: 18472-51-0) Fish toxicity: LC50 = 0.087 mg/l Factor M = 10 Species: Daphnia magna Algae toxicity: EC50 = 0.081 mg/l Factor M = 10 DIDECYLDIMETHYLAMMONIUM CHLORIDE (CAS: 7173-51-5) Fish toxicity: LC50 = 0.19 mg/l Factor M = 10 DIDECYLDIMETHYLAMMONIUM CHLORIDE (CAS: 7173-51-5) Fish toxicity: LC50 = 0.032 mg/l Species: Danio rerio Duration of exposure : 96 h NOEC = 0.012 mg/l Species: Daphnia magna Duration of exposure : 48 h NOEC = 0.012 mg/l Species: Daphnia magna Duration of exposure : 21 days OECD Guideline 211 (Daphnia magna Buration of exposure : 21 days OECD Guideline 211 (Daphnia magna Buration of exposure : 21 days OECD Guideline 211 (Daphnia magna Buration of exposure : 21 days OECD Guideline 211 (Daphnia magna Buration of exposure : 21 days OECD Guideline 211 (Daphnia magna Buration of exposure : 21 days	11.1.2. Mixture	
Toxic to aquatic life with long lasting effects. The product must not be allowed to run into drains or waterways. 12.1. Toxicity 12.1.1. Substances CHLORHEXIDNE DIGLUCONATE (CAS: 18472-51-0) Fish toxicity: ECS0 = 0.08 mg/l Crustacean toxicity: ECS0 = 0.081 mg/l Factor M = 10 Species: Daphnia magna Algae toxicity: ECT0 = 0.081 mg/l Factor M = 10 DIDECYLDIMETHYLAMMONIUM CHLORIDE (CAS: 7173-51-5) Fish toxicity: LCS0 = 0.19 mg/l Factor M = 10 NOEC = 0.19 mg/l Factor M = 10 Species: Dimphales promelas Duration of exposure : 96 h NOEC = 0.022 mg/l Species: Danio rerio Duration of exposure : 35 days OECD Guideline 210 (Fish, Early-Life Stage Toxicity Test) Crustacean toxicity: EC50 = 0.062 mg/l Factor M = 10 Species: Danior of exposure : 48 h NOEC = 0.01 mg/l Factor M = 10 Species: Daphnia magna Duration of exposure : 48 h NOEC = 0.01 mg/l Factor M = 10 Species: Daphnia magna Duration of exposure : 21 days OECD Guideline 211 (Daphnia magna Buration of exposure : 21 days OECD Guideline 211 (Daphnia magna Buration of exposure : 21 days OECD Guideline 211 (Daphnia magna Buration of exposure : 96 h OECD Guideline 201 (Alga, Growth Inhibition Test) 121.2.1. Mistures Species : Daphnia magna Buration of exposure : 96 h OECD Guideline 201 (Alga, Growth Inhibition Test)	No toxicological data available for the mixture.	
The product must not be allowed to run into drains or waterways. 19.1. Toxicity 19.1.1. Substances CHI_CORHEXIDINE DIGLUCONATE (CAS: 18472-51-0) Fish toxicity : LCS0 = 2.08 mg/l Crustacean toxicity : ECS0 = 0.087 mg/l Factor M = 10 DIDECYLDIMETHYLAMMONIUM CHLORIDE (CAS: 7173-51-5) Fish toxicity : LCS0 = 0.19 mg/l Factor M = 10 DIDECYLDIMETHYLAMMONIUM CHLORIDE (CAS: 7173-51-5) Fish toxicity : LCS0 = 0.19 mg/l Species : Danhnia magna Duration of exposure : 96 h NOEC = 0.032 mg/l Species : Danio rerio Duration of exposure : 95 days Outer 210 (Fish, Early-Life Stage Toxicity Test) Crustacean toxicity : ECS0 = 0.062 mg/l Factor M = 10 Species : Danhnia magna Duration of exposure : 25 days OECD Guideline 210 (Fish, Early-Life Stage Toxicity Test) Algae toxicity : ECS0 = 0.062 mg/l Factor M = 10 Species : Danhnia magna Duration of exposure : 21 days OECD Guideline 211 (Daphnia magna Reproduction Test) Algae toxicity : EC50 = 0.026 mg/l Factor M = 10 Species : Seudokirchnerella subcapitata Duration of exposure : 21 days OECD Guideline 211 (Daphnia magna Reproduction Test) Algae toxicity : EC50 = 0.026 mg/l Factor M = 10 Species : Seudokirchnerella subcapitata Duration of exposure : 21 days OECD Guideline 201 (Alga, Growth Inhibition Test)	ECTION 12 : ECOLOGICAL INFORMATION	
12.1. Toxicity 12.1.1. Substances CHLORHEXIDINE DIGLUCONATE (CAS: 18472-51-0) Fish toxicity: LCS0 = 2.08 mg/l Crustacean toxicity: EC50 = 0.087 mg/l Factor M = 10 Species : Daphnia magna Algae toxicity: EC750 = 0.081 mg/l Factor M = 10 Species : Daphnia magna Algae toxicity: EC750 = 0.081 mg/l Factor M = 10 DIDECYLDIMETHYLAMMONIUM CHLORIDE (CAS: 1713-51-5) Fish toxicity: LCS0 = 0.19 mg/l Factor M = 1 Species: Danio renio Duration of exposure : 96 h NOEC = 0.032 mg/l Species: Danio renio Duration of exposure : 35 days OECD Guideline 210 (Fish, Early-Life Stage Toxicity Test) Species: Danio renio Crustacean toxicity: EC50 = 0.062 mg/l Factor M = 10 Species: Daphnia magna Duration of exposure : 48 h NOEC = 0.01 mg/l Noter M = 10 Species: Daphnia magna Duration of exposure : 21 days OECD Guideline 211 (Daphnia magna Reproduction Test) Algae toxicity: EC150 = 0.026 mg/l Factor M = 10 Species: Daphnia magna Duration of exposure : 21 days OECD Guideline 211 (D	Toxic to aquatic life with long lasting effects.	
12.1.1. Substances CHLORNEXIDINE DIGLUCONATE (CAS: 18472-51-0) Fish toxicity: LCS0 = 2.08 mg/l Crustacean toxicity: ECS0 = 0.087 mg/l Factor M = 10 Species: Daphnia magna Algae toxicity: EC50 = 0.081 mg/l Factor M = 10 DIDECYLDIMETHYLAMMONIUM CHLORIDE (CAS: 7173-51-5) Fish toxicity: LCS0 = 0.19 mg/l Factor M = 1 DIDECYLDIMETHYLAMMONIUM CHLORIDE (CAS: 7173-51-5) Fish toxicity: LCS0 = 0.19 mg/l Factor M = 1 Species: Duration of exposure: 36 h NOEC = 0.032 mg/l Species: Duration of exposure: 35 days OECD Guideline 210 (Fish, Early-Life Stage Toxicity Test) Crustacean toxicity: EC50 = 0.062 mg/l Factor M = 1 Species: Daphia magna Duration of exposure: 35 days OECD Guideline 210 (Fish, Early-Life Stage Toxicity Test) Crustacean toxicity: EC50 = 0.062 mg/l Factor M = 10 Species: Daphia magna Duration of exposure: 21 days OECD Guideline 211 (Daphia magna Duration of exposure: 21 days OECD Guideline 211 (Daphia magna Duration of exposure: 21 days OECD Guideline 211 (Daphia magna Duration of exposure: 26 h OECD Guideline 211 (Daphia magna Duration of exposure: 26 h OECD Guideline 211 (Magna magna Exproduction Test) Algae toxicity: EC750 = 0.026 mg/l Factor M = 10 Species: Pseudokirchnerella subcapitata Duration Tesposure: 36 h OECD Guideline 211 (Alga, Growth Inhibition Test) 12.12.12.12.12.12.12.12.12.12.12.12.12.1	The product must not be allowed to run into drain	is or waterways.
CHLORHEXIDINE DIGLUCONATE (CAS: 18472-51-0) Fish toxicity : LC50 = 2.08 mg/l Crustacean toxicity : EC50 = 0.087 mg/l Factor M = 10 Species : Daphnia magna Algae toxicity : ECr50 = 0.081 mg/l Factor M = 10 Species : Daphnia magna DIDECYLDIMETHYLAMMONIUM CHLORIDE (CAS: 7173-51-5) Fish toxicity : LCS0 = 0.19 mg/l Factor M = 1 Species : Pimephales promelas Duration of exposure : 96 h NOEC = 0.032 mg/l Species : Daino rerio Duration of exposure : 35 days OECD Guideline 210 (Fish, Early-Life Stage Toxicity Test) Species : Daphnia magna Crustacean toxicity : EC50 = 0.062 mg/l Factor M = 10 Species : Daphnia magna Duration of exposure : 21 days OECD Guideline 210 (Fish, Early-Life Stage Toxicity Test) OECD Guideline 211 (Daphnia magna Reproduction Test) OECD Guideline 211 (Daphnia magna Reproduction Test) Algae toxicity : ECr50 = 0.026 mg/l Factor M = 10 Species : Daphnia magna Reproduction Test) OECD Guideline 211 (Daphnia magna Reproduction Test) OECD Guideline 211 (Daphnia magna Reproduction Test) Algae toxicity : ECr50 = 0.026 mg/l Factor M = 10 Species : P	12.1. Toxicity	
Fish toxicity: LC50 = 2.08 mg/l Crustacean toxicity: EC50 = 0.087 mg/l Factor M = 10 Species: Daphnia magna Algae toxicity: ECr50 = 0.081 mg/l Factor M = 10 DIDECYLDIMETHYLAMMONIUM CHLORIDE (CAS: 7173-51-5) Fish toxicity: LC50 = 0.19 mg/l Factor M = 1 Species: Dimephales prometas Duration of exposure: 96 h NOEC = 0.032 mg/l Species: Danio rerio Duration of exposure: 35 days OECD Guideline 210 (Fish, Early-Life Stage Toxicity Test) Crustacean toxicity: EC50 = 0.062 mg/l Factor M = 10 Species: Daphnia magna Duration of exposure: 48 h NOEC = 0.01 mg/l Factor M = 10 Species: Daphnia magna Duration of exposure: 21 days OECD Guideline 211 (Daphnia magna Reproduction Test) Algae toxicity : EC750 = 0.026 mg/l Factor M = 1 Species: Specios: Pseudokirchnerella subcapitata Duration of exposure: 21 days OECD Guideline 211 (Daphnia magna Reproduction Test) Algae toxicity : ECr50 = 0.026 mg/l Factor M = 10 Species: Specios: Pseudokirchnerella subcapitata Duration of exposure: 96 h OECD Guideline 211 (Alga, Growth Inhibition Test) 12.12. Mixtures EVT50 = 0.026 mg/l Factor M = 10	12.1.1. Substances	
Crustacean toxicity : ECS0 = 0.087 mg/l Factor M = 10 Species : Daphnia magna Algae toxicity : ECr50 = 0.081 mg/l Factor M = 10 DIDECYLDIMETHYLAMMONIUM CHLORIDE (CAS: 7173-51-5) Fish toxicity : LCS0 = 0.19 mg/l Factor M = 1 NOEC = 0.032 mg/l Species :: Dimephales promelas Duration of exposure : 96 h NOEC = 0.032 mg/l Species : Danio rerio Duration of exposure : 35 days OECD Guideline 210 (Fish, Early-Life Stage Toxicity Test) Crustacean toxicity : ECS0 = 0.062 mg/l Factor M = 10 Species : Daphnia magna Duration of exposure : 48 h NOEC = 0.01 mg/l Factor M = 10 Species :: Daphnia magna Duration of exposure : 21 days OECD Guideline 211 (Daphnia magna Duration of exposure : 21 days OECD Guideline 211 (Daphnia magna Reproduction Test) Algae toxicity : ECr50 = 0.026 mg/l Factor M = 10 Species : Daphnia magna Duration of exposure : 21 days OECD Guideline 211 (Daphnia magna Reproduction Test) Algae toxicity : ECr50 = 0.026 mg/l Factor M = 10 Species : Seudokirchnerella subcapitata Duration of exposure : 96 h OECD Guideline 201 (Alga, Growth Inhibition Test) 12.12. Mixtures Events	CHLORHEXIDINE DIGLUCONATE (CAS:	18472-51-0)
Factor M = 10 Species : Daphnia magna Algae toxicity : ECr50 = 0.081 mg/l Factor M = 10 DIDECYLDIMETHYLAMMONIUM CHLORIDE (CAS: 7173-51-5) Fish toxicity : LC50 = 0.19 mg/l Factor M = 1 Species : Pimephales promelas Duration of exposure : 96 h NOEC = 0.032 mg/l Species : Danio rerio Duration of exposure : 35 days OECD Guideline 210 (Fish, Early-Life Stage Toxicity Test) Crustacean toxicity : ECS0 = 0.062 mg/l Factor M = 10 Species : Daphnia magna Duration of exposure : 48 h NOEC = 0.01 mg/l Factor M = 1 Species : Daphnia magna Duration of exposure : 21 days OECD Guideline 211 (Daphnia magna Reproduction Test) Algae toxicity : ECr50 = 0.026 mg/l Factor M = 10 Species : Daphnia magna Duration of exposure : 21 days OECD Guideline 211 (Daphnia magna Reproduction Test) Algae toxicity : ECr50 = 0.026 mg/l Factor M = 10 Species : Pseudokircherella subcapitata Duration of exposure : 96 h OECD Guideline 201 (Alga, Growth Inhibition Test) 12.12. Mixtures L	Fish toxicity :	LC50 = 2.08 mg/l
Species : Daphnia magna Algae toxicity : ECr50 = 0.081 mg/l Factor M = 10 DIDECYLDIMETHYLAMMONIUM CHLORIDE (CAS: 7173-51-5) Fish toxicity : LCS0 = 0.19 mg/l Factor M = 1 Species : Dimephales promelas Duration of exposure : 96 h NOEC = 0.032 mg/l Species : Danio rerio Duration of exposure : 35 days OECD Guideline 210 (Fish, Early-Life Stage Toxicity Test) Crustacean toxicity : EC50 = 0.062 mg/l Factor M = 10 Species : Daphnia magna Duration of exposure : 48 h NOEC = 0.01 mg/l Factor M = 1 Species : Daphnia magna Duration of exposure : 21 days OECD Guideline 211 (Daphnia magna Reproduction Test) Algae toxicity : EC750 = 0.026 mg/l Factor M = 1 Species : Daphnia magna Duration of exposure : 21 days OECD Guideline 211 (Daphnia magna Reproduction Test) Algae toxicity : EC750 = 0.026 mg/l Factor M = 10 Species : Daphnia magna Duration of exposure : 21 days OECD Guideline 211 (Daphnia magna Reproduction Test) 12.12. Mixtures EC750 = 0.026 mg/l Factor M = 10 Species : Seudokirchherella subcapitata Duration of exposure : 96 h OECD Guideline 201 (Alga, Growth Inhibition Test)	Crustacean toxicity :	
Algae toxicity : ECr50 = 0.081 mg/l Factor M = 10 DIDECYLDIMETHYLAMMONIUM CHLORIDE (CAS: 7173-51-5) Fish toxicity : LCS0 = 0.19 mg/l Factor M = 1 Species : Pimephales promelas Duration of exposure : 96 h NOEC = 0.032 mg/l Species :: Danio rerio Duration of exposure : 35 days OECD Guideline 210 (Fish, Early-Life Stage Toxicity Test) Crustacean toxicity : ECS0 = 0.062 mg/l Factor M = 10 Species :: Daphnia magna Duration of exposure : 48 h NOEC = 0.01 mg/l Factor M = 10 Species :: Daphnia magna Duration of exposure : 21 days OECD Guideline 211 (Daphnia magna Reproduction Test) Algae toxicity : ECr50 = 0.026 mg/l Factor M = 10 Species :: Paphnia magna Duration of exposure : 21 days OECD Guideline 211 (Daphnia magna Reproduction Test) Algae toxicity : ECr50 = 0.026 mg/l Factor M = 10 Species : Paphnia magna Duration of exposure : 96 h OECD Guideline 201 (Alga, Growth Inhibition Test) 12.12. Mixtures		
Factor M = 10 DIDECYLDIMETHYLAMMONIUM CHLORIDE (CAS: 7173-51-5) Fish toxicity : LC50 = 0.19 mg/l Factor M = 1 Species : Pimephales promelas Duration of exposure : 96 h NOEC = 0.032 mg/l Species : Danio rerio Duration of exposure : 35 days OECD Guideline 210 (Fish, Early-Life Stage Toxicity Test) Crustacean toxicity : EC50 = 0.062 mg/l Factor M = 10 Species : Daphnia magna Duration of exposure : 48 h NOEC = 0.01 mg/l Factor M = 1 Species : Daphnia magna Duration of exposure : 21 days OECD Guideline 211 (Daphnia magna Buration of exposure : 21 days OECD Guideline 211 (Daphnia magna Buration of exposure : 21 days OECD Guideline 211 (Daphnia magna Buration of exposure : 96 h OECD Guideline 201 (Alga, Growth Inhibition Test)		Species : Daphnia magna
Factor M = 10 DIDECYLDIMETHYLAMMONIUM CHLORIDE (CAS: 7173-51-5) Fish toxicity : LC50 = 0.19 mg/l Factor M = 1 Species : Pimephales promelas Duration of exposure : 96 h NOEC = 0.032 mg/l Species : Danio rerio Duration of exposure : 35 days OECD Guideline 210 (Fish, Early-Life Stage Toxicity Test) Crustacean toxicity : EC50 = 0.062 mg/l Factor M = 10 Species : Daphnia magna Duration of exposure : 48 h NOEC = 0.01 mg/l Factor M = 1 Species : Daphnia magna Duration of exposure : 21 days OECD Guideline 211 (Daphnia magna Buration of exposure : 21 days OECD Guideline 211 (Daphnia magna Buration of exposure : 21 days OECD Guideline 211 (Daphnia magna Buration of exposure : 96 h OECD Guideline 201 (Alga, Growth Inhibition Test)	Algae toxicity :	ECr50 = 0.081 mg/l
Fish toxicity :LC50 = 0.19 mg/l Factor M = 1 Species : Pimephales promelas Duration of exposure : 96 hNOEC = 0.032 mg/l Species : Danio rerio Duration of exposure : 35 days OECD Guideline 210 (Fish, Early-Life Stage Toxicity Test)Crustacean toxicity :EC50 = 0.062 mg/l Factor M = 10 Species : Daphnia magna Duration of exposure : 48 hNOEC = 0.01 mg/l Factor M = 1 Species : Daphnia magna Duration of exposure : 21 days OECD Guideline 211 (Daphnia magna Reproduction Test)Algae toxicity :ECr50 = 0.026 mg/l Factor M = 10 Species : Pseudokirchnerella subcapitata Duration of exposure : 96 h OECD Guideline 210 (Alga, Growth Inhibition Test)12.1.2. Mixtures12.1.2. Mixtures		
Fish toxicity :LC50 = 0.19 mg/l Factor M = 1 Species : Pimephales promelas Duration of exposure : 96 hNOEC = 0.032 mg/l Species : Danio rerio Duration of exposure : 35 days OECD Guideline 210 (Fish, Early-Life Stage Toxicity Test)Crustacean toxicity :EC50 = 0.062 mg/l Factor M = 10 Species : Daphnia magna Duration of exposure : 48 hNOEC = 0.01 mg/l Factor M = 1 Species : Daphnia magna Duration of exposure : 21 days OECD Guideline 211 (Daphnia magna Reproduction Test)Algae toxicity :ECr50 = 0.026 mg/l Factor M = 10 Species : Pseudokirchnerella subcapitata Duration of exposure : 96 h OECD Guideline 210 (Alga, Growth Inhibition Test)12.1.2. Mixtures12.1.2. Mixtures	DIDECYLDIMETHYLAMMONIUM CHLO)RIDE (CAS: 7173-51-5)
Species : Pimephales promelas Duration of exposure : 96 h NOEC = 0.032 mg/l Species : Danio rerio Duration of exposure : 35 days OECD Guideline 210 (Fish, Early-Life Stage Toxicity Test) Crustacean toxicity : EC50 = 0.062 mg/l Factor M = 10 Species : Daphnia magna Duration of exposure : 48 h NOEC = 0.01 mg/l Factor M = 1 Species : Daphnia magna Duration of exposure : 21 days OECD Guideline 211 (Daphnia magna Reproduction Test) Algae toxicity : ECr50 = 0.026 mg/l Factor M = 10 Species : Daphnia magna Duration of exposure : 21 days OECD Guideline 211 (Daphnia magna Reproduction Test) Algae toxicity : ECr50 = 0.026 mg/l Factor M = 10 Species : Pseudokirchnerella subcapitata Duration of exposure : 96 h OECD Guideline 201 (Alga, Growth Inhibition Test) 12.1.2. Mixtures		
Duration of exposure : 96 hNOEC = 0.032 mg/l Species : Danio rerio Duration of exposure : 35 days OECD Guideline 210 (Fish, Early-Life Stage Toxicity Test)Crustacean toxicity :EC50 = 0.062 mg/l Factor M = 10 Species : Daphnia magna Duration of exposure : 48 hNOEC = 0.01 mg/l Factor M = 1 Species : Daphnia magna Duration of exposure : 21 days OECD Guideline 211 (Daphnia magna Reproduction Test)Algae toxicity :ECr50 = 0.026 mg/l Factor M = 1 Species : Daphnia magna Duration of exposure : 21 days OECD Guideline 211 (Daphnia magna Reproduction Test)Algae toxicity :ECr50 = 0.026 mg/l Factor M = 10 Species : Pseudokirchnerella subcapitata Duration of exposure : 96 h OECD Guideline 201 (Alga, Growth Inhibition Test)12.1.2. MixturesEXTL		
NOEC = 0.032 mg/l Species : Danio rerio Duration of exposure : 35 days OECD Guideline 210 (Fish, Early-Life Stage Toxicity Test)Crustacean toxicity :EC50 = 0.062 mg/l Factor M = 10 Species : Daphnia magna Duration of exposure : 48 hNOEC = 0.01 mg/l Factor M = 1 Species : Daphnia magna Duration of exposure : 21 days OECD Guideline 211 (Daphnia magna Reproduction Test)Algae toxicity :ECr50 = 0.026 mg/l Factor M = 10 Species : Pseudokirchnerella subcapitata Duration of exposure : 96 h OECD Guideline 201 (Alga, Growth Inhibition Test)12.1.2. Mixtures		
Species : Danio rerio Duration of exposure : 35 days OECD Guideline 210 (Fish, Early-Life Stage Toxicity Test) Crustacean toxicity : EC50 = 0.062 mg/l Factor M = 10 Species : Daphnia magna Duration of exposure : 48 h NOEC = 0.01 mg/l Factor M = 1 Species : Daphnia magna Duration of exposure : 48 h NOEC = 0.01 mg/l Factor M = 1 Species : Daphnia magna Duration of exposure : 21 days OECD Guideline 211 (Daphnia magna Reproduction Test) Algae toxicity : ECr50 = 0.026 mg/l Factor M = 10 Species : Pseudokirchnerella subcapitata Duration of exposure : 96 h OECD Guideline 201 (Alga, Growth Inhibition Test) 12.1.2. Mixtures		Duration of exposure : 96 h
Duration of exposure : 35 days OECD Guideline 210 (Fish, Early-Life Stage Toxicity Test)Crustacean toxicity :EC50 = 0.062 mg/l Factor M = 10 Species : Daphnia magna Duration of exposure : 48 hNOEC = 0.01 mg/l Factor M = 1 Species : Daphnia magna Duration of exposure : 21 days OECD Guideline 211 (Daphnia magna Reproduction Test)Algae toxicity :ECr50 = 0.026 mg/l Factor M = 10 Species : Pseudokirchnerella subcapitata Duration of exposure : 96 h OECD Guideline 201 (Alga, Growth Inhibition Test)12.1.2. Mixtures		NOEC = 0.032 mg/l
OECD Guideline 210 (Fish, Early-Life Stage Toxicity Test) Crustacean toxicity : EC50 = 0.062 mg/l Factor M = 10 Species : Daphnia magna Duration of exposure : 48 h NOEC = 0.01 mg/l Factor M = 1 Species : Daphnia magna Duration of exposure : 21 days OECD Guideline 211 (Daphnia magna Reproduction Test) Algae toxicity : ECr50 = 0.026 mg/l Factor M = 10 Species : Pseudokirchnerella subcapitata Duration of exposure : 96 h OECD Guideline 201 (Alga, Growth Inhibition Test) 12.1.2. Mixtures		
Crustacean toxicity : EC50 = 0.062 mg/l Factor M = 10 Species : Daphnia magna Duration of exposure : 48 h NOEC = 0.01 mg/l Factor M = 1 Species : Daphnia magna Duration of exposure : 21 days OECD Guideline 211 (Daphnia magna Reproduction Test) Algae toxicity : ECr50 = 0.026 mg/l Factor M = 10 Species : Pseudokirchnerella subcapitata Duration of exposure : 96 h OECD Guideline 201 (Alga, Growth Inhibition Test) 12.1.2. Mixtures		
Factor M = 10 Species : Daphnia magna Duration of exposure : 48 h NOEC = 0.01 mg/l Factor M = 1 Species : Daphnia magna Duration of exposure : 21 days OECD Guideline 211 (Daphnia magna Reproduction Test) Algae toxicity : ECr50 = 0.026 mg/l Factor M = 10 Species : Pseudokirchnerella subcapitata Duration of exposure : 96 h OECD Guideline 201 (Alga, Growth Inhibition Test) 12.1.2. Mixtures		OECD Guideline 210 (Fish, Early-Life Stage Toxicity Test)
Species : Daphnia magna Duration of exposure : 48 h NOEC = 0.01 mg/l Factor M = 1 Species : Daphnia magna Duration of exposure : 21 days OECD Guideline 211 (Daphnia magna Reproduction Test) Algae toxicity : ECr50 = 0.026 mg/l Factor M = 10 Species : Pseudokirchnerella subcapitata Duration of exposure : 96 h OECD Guideline 201 (Alga, Growth Inhibition Test) 12.1.2. Mixtures	Crustacean toxicity :	
Duration of exposure : 48 h NOEC = 0.01 mg/l Factor M = 1 Species : Daphnia magna Duration of exposure : 21 days OECD Guideline 211 (Daphnia magna Reproduction Test) Algae toxicity : ECr50 = 0.026 mg/l Factor M = 10 Species : Pseudokirchnerella subcapitata Duration of exposure : 96 h OECD Guideline 201 (Alga, Growth Inhibition Test)		
NOEC = 0.01 mg/l Factor M = 1 Species : Daphnia magna Duration of exposure : 21 days OECD Guideline 211 (Daphnia magna Reproduction Test) Algae toxicity : ECr50 = 0.026 mg/l Factor M = 10 Species : Pseudokirchnerella subcapitata Duration of exposure : 96 h OECD Guideline 201 (Alga, Growth Inhibition Test)		Species : Daphnia magna Duration of exposure : 48 h
Factor M = 1 Species : Daphnia magna Duration of exposure : 21 days OECD Guideline 211 (Daphnia magna Reproduction Test) Algae toxicity : ECr50 = 0.026 mg/l Factor M = 10 Species : Pseudokirchnerella subcapitata Duration of exposure : 96 h OECD Guideline 201 (Alga, Growth Inhibition Test)		Duration of exposure . 48 in
Species : Daphnia magna Duration of exposure : 21 days OECD Guideline 211 (Daphnia magna Reproduction Test) Algae toxicity : ECr50 = 0.026 mg/l Factor M = 10 Species : Pseudokirchnerella subcapitata Duration of exposure : 96 h OECD Guideline 201 (Alga, Growth Inhibition Test)		
Duration of exposure : 21 days OECD Guideline 211 (Daphnia magna Reproduction Test) Algae toxicity : ECr50 = 0.026 mg/l Factor M = 10 Species : Pseudokirchnerella subcapitata Duration of exposure : 96 h OECD Guideline 201 (Alga, Growth Inhibition Test) 12.1.2. Mixtures Image: Comparison of exposure is the subcapitata of		
Algae toxicity : ECr50 = 0.026 mg/l Factor M = 10 Species : Pseudokirchnerella subcapitata Duration of exposure : 96 h OECD Guideline 201 (Alga, Growth Inhibition Test) 12.1.2. Mixtures ECr50 = 0.026 mg/l		
Factor M = 10 Species : Pseudokirchnerella subcapitata Duration of exposure : 96 h OECD Guideline 201 (Alga, Growth Inhibition Test) 12.1.2. Mixtures		
Factor M = 10 Species : Pseudokirchnerella subcapitata Duration of exposure : 96 h OECD Guideline 201 (Alga, Growth Inhibition Test) 12.1.2. Mixtures	Algae toxicity :	ECr50 = 0.026 mg/l
Duration of exposure : 96 h OECD Guideline 201 (Alga, Growth Inhibition Test) 12.1.2. Mixtures		
OECD Guideline 201 (Alga, Growth Inhibition Test) 12.1.2. Mixtures		
12.1.2. Mixtures		
no aquatic toxicity data available for the mixture.		
12.2. Persistence and degradability		

DIDECYLDIMETHYLAMMONIUM CHLORIDE (CAS: 7173-51-5)

Biodegradability :

Rapidly degradable.

CHLORHEXIDINE DIGLUCONATE (CAS: 18472-51-0)

Biodegradability : no degradability data is available, the substance is considered as not degrading quickly.

12.3. Bioaccumulative

potential 12.3.1. Substances

CHLORHEXIDINE DIGLUCONATE (CAS: 18472-51-0) Bioaccumulation : BCF = 42

12.4. Mobility in soil

No data available.

12.5. Results of PBT and vPvB assessment

No data available.

12.6. Other adverse effects

No data available.

SECTION 13 : DISPOSAL CONSIDERATIONS

Proper waste management of the mixture and/or its container must be determined in accordance with Directive 2008/98/EC.

13.1. Waste treatment methods

Do not pour into drains or waterways.

Waste :

Waste management is carried out without endangering human health, without harming the environment and, in particular without risk to water, air, soil, plants or animals.

Recycle or dispose of waste in compliance with current legislation, preferably via a certified collector or company.

Do not contaminate the ground or water with waste, do not dispose of waste into the environment.

Soiled packaging :

Empty container completely. Keep label(s) on container.

Give to a certified disposal contractor.

SECTION 14 : TRANSPORT INFORMATION

Transport product in compliance with provisions of the ADR for road, RID for rail, IMDG for sea and ICAO/IATA for air transport (ADR 2015 - IMDG 2014 - ICAO/IATA 2015).

14.1. UN number

3082

14.2. UN proper shipping name

UN3082=ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S.

(chlorhexidine digluconate, didecyldimethylammonium chloride)

14.3. Transport hazard class(es)

- Classification :



14.4. Packing group

. - --

14.5. Environmental hazards

- Environmentally hazardous material :



B1710

GOJO® MILD ANTIMICROBIAL FOAM HANDWASH (FDS Nº1628) -

14.6. Special precautions for user

ADR/RID	Class	Code	Pack gr.	Label	Ident.	LQ	Provis.	EQ	Cat.	Tunnel
	9	M6	III	9	90	5 L	274 335 375 601	E1	3	E
	Not subje	ect to this r	egulation if	$fQ \le 51/5$	kg (ADR 3.	3.1 - DS 375)				
IMDG	Class	2°Label	Pack gr.	LQ	EMS	Provis.	EQ			
	0		Ш	5 I	EASE	274 225 060	E1	7		

E1

9	-	111	JL	г-А,5-г	274 333 909
Not subject	ct to this re	gulation if	$Q \le 51/51$	kg (IMDG 3.3	3.1 - 2.10.2.7)

IATA	Class	2°Label	Pack gr.	Passager	Passager	Cargo	Cargo	note	EQ
	9	-	III	964	450 L	964	450 L	A97	E1
								A158	
								A197	
	9	-	III	Y964	30 kg G	-	-	A97	E1
								A158	
								A197	

Not subject to this regulation if $Q \le 51/5 \text{ kg}$ (IATA 4.4.4 - DS A197)

For limited quantities, see part 2.7 of the OACI/IATA and chapter 3.4 of the ADR and IMDG.

For excepted quantities, see part 2.6 of the OACI/IATA and chapter 3.5 of the ADR and IMDG.

14.7. Transport in bulk according to Annex II of Marpol and the IBC Code

No data available.

SECTION 15 : REGULATORY INFORMATION

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

- Classification and labelling information included in section 2:

The following regulations have been used:

- EU Regulation No. 1272/2008 amended by EU Regulation No. 487/2013.
- EU Regulation No. 1272/2008 amended by EU Regulation No. 758/2013.
- EU Regulation No. 1272/2008 amended by EU Regulation No. 944/2013.
- EU Regulation No. 1272/2008 amended by EU Regulation No. 605/2014.

- EU Regulation No. 1272/2008 amended by EU Regulation No. 1297/2014.

- Container information:

No data available.

- Particular provisions :

No data available.

- Labelling for biocidal products (Regulation 1896/2000, 1687/2002, 2032/2003, 1048/2005, 1849/2006, 1451/2007 and Directive 98/8/EC)

Name	CAS	%	Product-type
DIDECYLDIMETHYLAMMONIUM	7173-51-5	6.50 g/kg	01
CHLORIDE			
CHLORHEXIDINE DIGLUCONATE	18472-51-0	9.00 g/kg	01

Product-type 1 : Human hygiene.

15.2. Chemical safety assessment

No data available.

SECTION 16 : OTHER INFORMATION

Since the user's working conditions are not known by us, the information supplied on this safety data sheet is based on our current level of knowledge and on national and community regulations.

The mixture must not be used for other uses than those specified in section 1 without having first obtained written handling instructions. It is at all times the responsibility of the user to take all necessary measures to comply with legal requirements and local regulations. The information in this safety data sheet must be regarded as a description of the safety requirements relating to the mixture and not as a guarantee of the properties thereof.

Wording of the phrases mentioned in section 3 :

H302 Harmful if swallowed. H314 Causes severe skin burns and eye damage. H318 Causes serious eye damage. H319 Causes serious eye irritation. H400 Very toxic to aquatic life.

H410

Very toxic to aquatic life with long lasting effects.

Abbreviations :

ADR : European agreement concerning the international carriage of dangerous goods by Road.

IMDG : International Maritime Dangerous Goods.

IATA : International Air Transport Association.

ICAO : International Civil Aviation Organisation

RID : Regulations concerning the International carriage of Dangerous goods by rail.

WGK : Wassergefahrdungsklasse (Water Hazard Class).

GHS09 : Environment

PBT: Persistent, bioaccumulable and toxic.

vPvB : Very persistent, very bioaccumulable.

SVHC : Substances of very high concern.